PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: A01N 59/12, A61L 15/44	A1	(11) International Publication Number: WO 00/54593 (43) International Publication Date: 21 September 2000 (21.09.00)
(21) International Application Number: PCT/EP (22) International Filing Date: 13 March 2000 ((30) Priority Data: 9905663.2 12 March 1999 (12.03.99)	13.03.0	BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB,
(71) Applicant (for all designated States except US): TOL-MYERS SQUIBE COMPANY [US/US]. Avenue, New York, Y01054 (US). (73) Inventors; and (75) Inventors/Applicants (for US only): PARSON [GB/GB]; 6 Briar Drive, Heswell, Wirral L605] 1ACQUES, Elizabeth [GB/GB]; 9 Cedar Grow	345 Pa IS, Da RN (GI	the Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. 3.

(54) Title: IODINE PREPARATION COMPOSITON

Chester CH2 3LQ (GB). BOWLER, Philip [GB/GB]; 8 Woodbridge Close, Appleton, Warrington, Cheshire WA4

(74) Agent: MAYS, Julie; Bristol-Myers Company Limited, Patent Dept., Swakeleys House, Milton Road, Ickenham, Uxbridge

(57) Abstract

BNSDCCIO: <WO__0054593A1_I_>

5RD (GB).

UB 10 8NS (GB).

An iodine preparation composition suitable for use on wounds comprising an iodide source, an oxidant and a buffer characterised in that the iodide is held separately from the oxidant until the point of use, and that the buffer is capable of maintaining the pH of the composition at between pH 4.5 and pH 6 so that iodine is generated at a physicologically acceptable dose rate.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	!E	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		

SE SG

Sweden

Singapore

LK Sri Lanka

Liberia

Denmark

DE DK

EE Estonia 5

10

15

20

Iodine Preparation Composition

This invention relates to an antimicrobial composition which can be applied to wounds, cuts, abrasions or burns for the prevention or treatment of infections. More particularly the invention relates to a composition capable of providing effective antimicrobial activity while at the same time avoiding wound and skin irritation and retardation of wound healing.

Topical antimicrobial materials and preparations containing them have long been recognised as important parts of antisepsis of intact skin and wounds. Iodine has been recognized as an antimicrobial agent with effectiveness against a wide range of micro-organisms. There are however several barriers to making an effective antimicrobial composition for application to wounds based on iodine. One problem is that iodine tends to react with organic materials found in the wound other than the intended microbial targets. This means that to be effective, iodine needs to be included at high levels such as 0.9% by weight, as described in "Handbook of Wound Dressings" edited by Stephen Thomas, 1994 Journal of Wound Care. At such levels and with continued use iodine may have undesirable local side effects such as cell toxicity, hypersensitivity reactions, skin staining, and unpleasant odour and systemic adverse effects such as metabolic acidosis and impairment of renal function. For this reason application of iodine is recommended at levels below 1.35g in one week.

A further problem is that iodine has a relatively short shelf life when in aqueous solution meaning either that compositions which include water need to be freshly prepared before each application or again that iodine is included at high levels. These factors limit product form.

5

10

15

In the past these problems with iodine have sought to be addressed by the use of iodophors which act as a release mechanism for iodine. Iodophors are readily dissociable, loose complexes of iodine with polymers or surfactants. Iodophor compositions are not best suited to use on wounds because when applied to a wound, all iodine present in the composition is readily available for reaction and therefore the adverse reactions associated with high levels of iodine are not necessarily avoided.

There thus exists a need for a composition which delivers iodine to a wound at a rate which is high enough to provide effective antisepsis but which is low enough

to avoid the problems of adverse reactions associated with high levels of iodine.

20

0054593A1 I a

BNSDOCID: <WO

GB-B-2276546 to Diversey relates to improved iodophors which are prepared at the point of use. The composition comprises an iodide source, an oxidant and an acid source, the oxidant becoming active only when the composition is dissolved in an aqueous medium. The composition is said to overcome the stability problems associated with producing teat dip/spray iodine formulations for use in

5

10

15

2.0

the control of bovine mastitis. The rate of generation of iodine needed for these topical formulations for use on intact skin far exceeds that tolerable to a wound. In these compositions such high levels of iodine are generated that a hydrotrope must be included to prevent the iodine from crystallising. In addition, iodine has a complex chemistry in aqueous solutions and exists in a number of equilibria. At high iodine concentrations in the presence of iodide there is a strong tendency for the tri-iodide ion to form. We believe that this ion has very little antimicrobial activity but can still be absorbed with the risk of systemic toxicity.

We have found that it is possible to prepare a composition which is capable of generating iodine at a rate and level that makes it suitable for use in wounds. This is achieved by separating certain of the ingredients and controlling the kinetics of the generation of iodine through the manipulation of pH.

Accordingly the present invention provides an iodine preparation composition suitable for use on wounds comprising an iodide source, an oxidant and a buffer characterised in that the oxidant is held separately from the iodide until the point of use, and that the buffer is capable of maintaining the pH of the composition at between pH 4.5 and pH 6 so that iodine is generated at a physiologically acceptable and efficacious rate.

The invention allows the preparation of compositions generating a low but effective iodine level for example up to about 2000µg per g of composition per

hour, preferably in the range of 5µg per g of composition per hour to 1500µg per g of composition per hour, more preferably in the range 50µg per g of composition per hour to 1000µg per g of composition per hour so that the amount of free iodine available for antisepsis at any time is at least 0.001%.

5

The compositions of the invention are preferably formulated to generate the above levels of iodine over a period of about 3 days.

10

The pH of the composition of the invention is generally below 5.8. We have found that if the pH is greater than about 6, the rate of production of iodine by reaction of the oxidising agent with iodide ions is too low to balance any losses of iodine by reaction with the organic matter. We have found that it is generally desired that the pH of the compositions is not below about 4.5 as otherwise there is a danger that the rate of oxidation of the iodide ions will be too fast with the result that the composition could become toxic.

15

20

The desired pH of the compositions may be achieved by incorporating buffering agents therein. Examples of buffering agents which may be included are citric acid/disodium hydrogen phosphate, citric acid/sodium citrate, acetic acid/sodium acetate. The buffering agent may conveniently be present in an amount of about 2% to 10%, preferably about 4% to 6% by weight and particularly about 5% by weight so as to provide an isotonic composition.

The amount of oxidant in the composition is tailored to provide a stoichiometric match with iodide. Preferably the oxidant is iodate and is provided in a molar ratio of 1:5 with iodide. In this way the iodide present in the composition fully reacts with all the oxidant. To provide the levels and rate of production of iodine in the range described above it is desirable to include up to 2% by weight of iodide, preferably, from 0.2% to 2% by weight of iodide. Iodide and iodate are preferably present as sodium salts although other usual counter ions may be used.

Convenient forms of administration of the composition include aqueous gels, films, creams, tablets and capsules.

The following examples are illustrative of the present invention.

Example 1.

15

20

10

Gel A	Weight g
Hydroxyethyl cellulose	30.00
Propylene Glycol	150.00
Na ₂ HPO ₄	35.61
Citric Acid	21.01
Potassium Iodate	1.124
Water	762.256

25 Gel B

Weight in g

WO 00/54593 PCT/EP00/02

Hydroxyethyl cellulose

30.0

Propylene Glycol

150.0

Potassium Iodide

4.36

Water

815.64

5

10

Gel A was made by dissolving the buffer salt in a water/propylene glycol mix and then adding the iodate. When the solution is clear the hydroxyethyl cellulose is added and mixed until gelation is complete. Gel B was made by dissolving iodide in a water/propylene glycol mix. Hydroxyethyl cellulose was added to this mixture and mixed until gelation was complete.

The gels were packaged in separate syringes which were bound together with their nozzles fitted into a Y-shaped connecter. The contents were sterilised by autoclaving at 121 C for 15 minutes. Simultaneous depression of the plungers allows the gels to be co-extruded and allows the gels to react while being dispensed into a wound. The co-extrusion of the gels results in a product producing approximately 100µg per g of composition per hour at a pH of about 5.4. The composition generated a greater than 5 log kill of S. aureous (NCIMB 9518) which is regarded as being an acceptable level of antimicrobial activity.

20

15

Example 2

Film A

g

77.0566

Hydroxypropylcellulose 16

Propylene Glycol 4

Potassium Iodate 0.1124

Sodium phosphate 1.7805

Citric acid 1.0505

Film B

10

Water

Hydroxypropylcellulose 16

Propylene Glycol 4

Potassium Iodide 0.436

Water 79.564

The films are produced by knife over roller coating of aqueous solution onto an inert carrier followed by drying at a temperature not exceeding 100 C and sterilised by gamma irradiation.

The films may be cut into rectangles and added to a wound whereupon they dissolve in the wound fluid and reaction takes place.

Claims

5

15

20

- 1. An iodine preparation composition suitable for use on wounds comprising an iodide source, and oxidant and a buffer characterised in that the iodide is held separately from the oxidant until the point of use, and that the buffer is capable of maintaining the pH of the composition at between pH 4.5 and pH 6 so that iodine is generated at a physiologically acceptable dose and rate.
- An iodine preparation composition suitable for use on wounds
 comprising an iodide source, an oxidant and a buffer for simultaneous or sequential use in the treatment of sepsis in wounds.
 - Use of an iodine preparation composition comprising an iodide source, an oxidant and a buffer for simultaneous or sequential use in the treatment of sepsis in wounds.
 - 4. An iodine preparation composition as claimed in claim 1 characterised in that the composition is capable of generating from 5μg of iodine per g of composition per hour to 1500μg of iodine per g of composition per hour, preferably 100μg of iodine per g of composition per hour.

INTERNATIONAL SEARCH REPORT

Inter anal Application No PCT/EP 00/02194

	ICATION OF SUBJECT	
	A01N59/12	A61115/44
IPC 7		

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 A01N A61L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, BIOSIS, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х,Р	WO 99 65538 A (OXIBIO INC) 23 December 1999 (1999-12-23) abstract	1-4
	page 9, last paragraph page 11, paragraph 2 page 16, last paragraph -page 17, paragraph 2	
Х	US 5 128 136 A (BENTLEY J PETER ET AL) 7 July 1992 (1992-07-07) claims 6-9	1-4
X	GB 2 276 546 A (DIVERSEY CORP) 5 October 1994 (1994-10-05) cited in the application claims 1,2	1,2,4
	_,	-X

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.		
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international "L" document which may throw double on promity claim(s) or	T' later document published after the international fling date clied to understand the principle or theory underlying the invention. X' document of particular relevance; the claimed invention provided in the control of particular relevance; the claimed invention or control of particular relevance; the claimed invention or control or provided in invention and the provided in the provid		
which is clied to establish the publication date of another cliation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"Y document of particular refer wance, the dischined invention "Y document of particular refer wance, the dischine invention to the particular refer wance, the dischine is set when the document is combined with one or more other such docu- ments, such combination being obtacts to a person skilled in the art. "A document member of the same patent family		
Date of the actual completion of the international search 20 July 2000	Date of mailing of the international search report 28/07/2000		
Name and mailing address of the ISA European Patern Office, P.B. 5818 Patendaan 2 NL - 2280 HV Rijswik Tol. (-31-70) 340-2040, Tx. 31 651 epo nl, Fax: (-31-70) 340-3016	Authorized officer Decorte, D		

Form PCT/ISA/210 (second sheet) (July 1992)

BNSDOCID: <WO__0064593A1_I_>

INTERNATIONAL SEARCH REPORT

nter anal Application No PCT/EP 00/02194

·/C	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/EP 00/02194
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	US 4 271 149 A (WINICOV MURRAY W ET AL) 2 June 1981 (1981-06-02) column 2, line 25 - line 54 column 1, line 65	2
	WO 95 12316 A COUNCAN GROUP PLC ;KELEMEN MARY VIKTORIA (GB)) 11 May 1995 (1995-05-11) claim 12	2
	,	-
	,	
	÷	-
	*	
	2.	
	Ç∄ •	
	W. T.	
	-	-37:

-t----t-- -- setest femily members

inter onal Application No PCT/EP 00/02194

	tent document in search report		Publication date		atent family member(s)	Publication date
WO	9965538	Α	23-12-1999	AU	4699799 A	05-01-2000
IIS	5128136	Α	07-07-1992	us	5081106 A	14-01-1992
05	3120130			AU	8238391 A	18-02-1992
				WO	9201382 A	06-02-1992
GR.	2276546	Α	05-10-1994	AU	683040 B	30-10-1997
uв	22/0340	^		AU	5905794 A	29-09-1994
				CA	2119918 A	27-09-1994
				F.R	2702930 A	30-09-1994
				NZ	260178 A	26-03-1996
				US	5558881 A	24-09-1996
IIS	4271149	Α	02-06-1981	AR	228578 A	30-03-1983
				AU	532821 B	13-10-1983
				AU	6205180 A	26-03-1981
				8E	885300 A	19-03-1981
				BR	8005961 A	31-03-1981
				CA	1127076 A	06-07-1982
				CH	645807 A	31-10-1984
				DE	3034290 A	02-04-1981
				DK	398080 A,B,	22-03-1981
				ES	495562 D	01-09-1981
				ES	8106757 A	16-11-1981
			1	FR	2465418 A	27-03-1981
				GB	2060385 A,B	07-05-1981
				IE	50792 B	23-07-1986
				IT	1220974 B	21-06-1990
				JP	1481594 C	27-02-1989
				JP	56099419 A	10-08-1981
				JP	63002242 B	18-01-1988
				MX	6446 E	31-05-1985
				NL	8005251 A,B,	24-03-1981
				NZ	194835 A	18-11-1983
	-			ZA	8005544 A	30-09-1981
	9512316	Α	11-05-1995	AU	8001594 A	23-05-1995